

# Appendix A: Further information and sources of support about common mental health issues

## Prevalence of Mental Health and Emotional Wellbeing Issues<sup>1</sup>

- 1 in 10 children and young people aged 5 - 16 suffer from a diagnosable mental health disorder - that is around three children in every class.
- Between 1 in every 12 and 1 in 15 children and young people deliberately self-harm.
- There has been a big increase in the number of young people being admitted to hospital because of self-harm. Over the last ten years this figure has increased by 68%.
- More than half of all adults with mental health problems were diagnosed in childhood. Less than half were treated appropriately at the time.
- Nearly 80,000 children and young people suffer from severe depression.
- The number of young people aged 15-16 with depression nearly doubled between the 1980s and the 2000s.
- Over 8,000 children aged under 10 years old suffer from severe depression.
- 3.3% or about 290,000 children and young people have an anxiety disorder.
- 72% of children in care have behavioural or emotional problems - these are some of the most vulnerable people in our society.

Below, we have sign-posted information and guidance about the issues most commonly seen in school-aged children. The links will take you through to the most relevant page of the listed website. Some pages are aimed primarily at parents but they are listed here because we think they are useful for school staff too.

Support on all these issues can be accessed via [Young Minds](http://www.youngminds.org.uk) ([www.youngminds.org.uk](http://www.youngminds.org.uk)), [Mind](http://www.mind.org.uk) ([www.mind.org.uk](http://www.mind.org.uk)) and (for e-learning opportunities) [Minded](http://www.minded.org.uk) ([www.minded.org.uk](http://www.minded.org.uk)).

## Self-harm

Self-harm describes any behaviour where a young person causes harm to themselves in order to cope with thoughts, feelings or experiences they are not able to manage in any other way. It most frequently takes the form of cutting, burning or non-lethal overdoses in adolescents, while younger children and young people with special needs are more likely to pick or scratch at wounds, pull out their hair or bang or bruise themselves.

## Online support

[SelfHarm.co.uk](http://www.selfharm.co.uk): [www.selfharm.co.uk](http://www.selfharm.co.uk)

[National Self-Harm Network](http://www.nshn.co.uk): [www.nshn.co.uk](http://www.nshn.co.uk)

## Books

Pooky Knightsmith (2015) *Self-Harm and Eating Disorders in Schools: A Guide to Whole School Support and Practical Strategies*. London: Jessica Kingsley Publishers

---

<sup>1</sup> Source: [Young Minds](http://www.youngminds.org.uk)

Keith Hawton and Karen Rodham (2006) *By Their Own Young Hand: Deliberate Self-harm and Suicidal Ideas in Adolescents*. London: Jessica Kingsley Publishers

Carol Fitzpatrick (2012) *A Short Introduction to Understanding and Supporting Children and Young People Who Self-Harm*. London: Jessica Kingsley Publishers

## Depression

Ups and downs are a normal part of life for all of us, but for someone who is suffering from depression these ups and downs may be more extreme. Feelings of failure, hopelessness, numbness or sadness may invade their day-to-day life over an extended period of weeks or months, and have a significant impact on their behaviour and ability and motivation to engage in day-to-day activities.

### Online support

Depression Alliance: [www.depressionalliance.org/information/what-depression](http://www.depressionalliance.org/information/what-depression)

### Books

Christopher Dowrick and Susan Martin (2015) *Can I Tell you about Depression?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

## Anxiety, panic attacks and phobias

Anxiety can take many forms in children and young people, and it is something that each of us experiences at low levels as part of normal life. When thoughts of anxiety, fear or panic are repeatedly present over several weeks or months and/or they are beginning to impact on a young person's ability to access or enjoy day-to-day life, intervention is needed.

### Online support

Anxiety UK: [www.anxietyuk.org.uk](http://www.anxietyuk.org.uk)

### Books

Lucy Willetts and Polly Waite (2014) *Can I Tell you about Anxiety?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

Carol Fitzpatrick (2015) *A Short Introduction to Helping Young People Manage Anxiety*. London: Jessica Kingsley Publishers

## Obsessions and compulsions

Obsessions describe intrusive thoughts or feelings that enter our minds which are disturbing or upsetting; compulsions are the behaviours we carry out in order to manage those thoughts or feelings. For example, a young person may be constantly worried that their house will burn down if they don't turn off all switches before leaving the house. They may respond to these thoughts by repeatedly checking switches, perhaps returning home several times to do so. Obsessive compulsive disorder (OCD) can take many forms – it is not just about cleaning and checking.

### Online support

OCD UK: [www.ocduk.org/ocd](http://www.ocduk.org/ocd)

### Books

Amita Jassi and Sarah Hull (2013) *Can I Tell you about OCD?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

Susan Conners (2011) *The Tourette Syndrome & OCD Checklist: A practical reference for parents and teachers*. San Francisco: Jossey-Bass

## Suicidal feelings

Young people may experience complicated thoughts and feelings about wanting to end their own lives. Some young people never act on these feelings though they may openly discuss and explore them, while other young people die suddenly from suicide apparently out of the blue.

### Online support

Prevention of young suicide UK – PAPYRUS: [www.papyrus-uk.org](http://www.papyrus-uk.org)

On the edge: ChildLine spotlight report on suicide: [www.nspcc.org.uk/preventing-abuse/research-and-resources/on-the-edge-childline-spotlight/](http://www.nspcc.org.uk/preventing-abuse/research-and-resources/on-the-edge-childline-spotlight/)

### Books

Keith Hawton and Karen Rodham (2006) *By Their Own Young Hand: Deliberate Self-harm and Suicidal Ideas in Adolescents*. London: Jessica Kingsley Publishers

Terri A.Erbacher, Jonathan B. Singer and Scott Poland (2015) *Suicide in Schools: A Practitioner's Guide to Multi-level Prevention, Assessment, Intervention, and Postvention*. New York: Routledge

## Eating problems

Food, weight and shape may be used as a way of coping with, or communicating about, difficult thoughts, feelings and behaviours that a young person experiences day to day. Some young people develop eating disorders such as anorexia (where food intake is restricted), binge eating disorder and bulimia nervosa (a cycle of bingeing and purging). Other young people, particularly those of primary or preschool age, may develop problematic behaviours around food including refusing to eat in certain situations or with certain people. This can be a way of communicating messages the child does not have the words to convey.

### Online support

Beat – the eating disorders charity: [www.b-eat.co.uk/about-eating-disorders](http://www.b-eat.co.uk/about-eating-disorders)

Eating Difficulties in Younger Children and when to worry:  
[www.inourhands.com/eating-difficulties-in-younger-children](http://www.inourhands.com/eating-difficulties-in-younger-children)

### Books

Bryan Lask and Lucy Watson (2014) *Can I tell you about Eating Disorders?: A Guide for Friends, Family and Professionals*. London: Jessica Kingsley Publishers

Pooky Knightsmith (2015) *Self-Harm and Eating Disorders in Schools: A Guide to Whole School Support and Practical Strategies*. London: Jessica Kingsley Publishers

Pooky Knightsmith (2012) *Eating Disorders Pocketbook*. Teachers' Pocketbooks

## Appendix B: Guidance and advice documents

[Mental health and behaviour in schools](#) - departmental advice for school staff. Department for Education (2014)

[Counselling in schools: a blueprint for the future](#) - departmental advice for school staff and counsellors. Department for Education (2015)

[Teacher Guidance: Preparing to teach about mental health and emotional wellbeing](#) (2015). PSHE Association. Funded by the Department for Education (2015)

[Keeping children safe in education](#) - statutory guidance for schools and colleges. Department for Education (2014)

[Supporting pupils at school with medical conditions](#) - statutory guidance for governing bodies of maintained schools and proprietors of academies in England. Department for Education (2014)

[Healthy child programme from 5 to 19 years old](#) is a recommended framework of universal and progressive services for children and young people to promote optimal health and wellbeing. Department of Health (2009)

[Future in mind – promoting, protecting and improving our children and young people's mental health and wellbeing](#) - a report produced by the Children and Young People's Mental Health and Wellbeing Taskforce to examine how to improve mental health services for children and young people. Department of Health (2015)

[NICE guidance on social and emotional wellbeing in primary education](#)

[NICE guidance on social and emotional wellbeing in secondary education](#)

[What works in promoting social and emotional wellbeing and responding to mental health problems in schools?](#) Advice for schools and framework document written by Professor Katherine Weare. National Children's Bureau (2015)

## Appendix C: Data Sources

[Children and young people's mental health and wellbeing profiling tool](#) collates and analyses a wide range of publically available data on risk, prevalence and detail (including cost data) on those services that support children with, or vulnerable to, mental illness. It enables benchmarking of data between areas.

[ChiMat school health hub](#) provides access to resources relating to the commissioning and delivery of health services for school children and young people and its associated good practice, including the new service offer for school nursing.

[Health behaviour of school age children](#) is an international cross-sectional study that takes place in 43 countries and is concerned with the determinants of young people's health and wellbeing.

## Appendix D: Sources or support at school and in the local community

This will be unique to every school. Take time to collate a thorough list of support available at school and within the local community.

### School Based Support

List the full range of support available to students. For each include:

- What it is
- Who it is suitable for
- How it is accessed
- How this information is communicated to students

This is likely to include information about pastoral staff including behaviour and learning support and school counsellors.

You should also include details of any specific groups or interventions run at the school. This information is often not widely shared. Putting it in an appendix in your policy will help to ensure that those students who most need support are able to access it.

### Local Support

List any local support services or charities that might be accessed by students or their families.

Often there is a range of charities and other local services that can be accessed freely or at very low cost. There may be pockets of knowledge on such topics amongst staff and parents. It is well worth going to the effort of trying to gather this information in your policy so that it is easy to access centrally when most needed.

## Appendix E: Talking to students when they make mental health disclosures

The advice below is from students themselves, in their own words, together with some additional ideas to help you in initial conversations with students when they disclose mental health concerns. This advice should be considered alongside relevant school policies on pastoral care and child protection and discussed with relevant colleagues as appropriate.

### Focus on listening

*"She listened, and I mean REALLY listened. She didn't interrupt me or ask me to explain myself or anything, she just let me talk and talk and talk. I had been unsure about talking to anyone but I knew quite quickly that I'd chosen the right person to talk to and that it would be a turning point."*

If a student has come to you, it's because they trust you and feel a need to share their difficulties with someone. Let them talk. Ask occasional open questions if you need to in order to encourage them to keep exploring their feelings and opening up to you. Just letting them pour out what they're thinking will make a huge difference and marks a huge first step in recovery. Up until now they may not have admitted even to themselves that there is a problem.

### Don't talk too much

*"Sometimes it's hard to explain what's going on in my head – it doesn't make a lot of sense and I've kind of gotten used to keeping myself to myself. But just 'cos I'm struggling to find the right words doesn't mean you should help me. Just keep quiet, I'll get there in the end."*

The student should be talking at least three quarters of the time. If that's not the case then you need to redress the balance. You are here to listen, not to talk. Sometimes the conversation may lapse into silence. Try not to give in to the urge to fill the gap, but rather wait until the student does so. This can often lead to them exploring their feelings more deeply. Of course, you should interject occasionally, perhaps with questions to the student to explore certain topics they've touched on more deeply, or to show that you understand and are supportive. Don't feel an urge to over-analyse the situation or try to offer answers. This all comes later. For now your role is simply one of supportive listener. So make sure you're listening!

### Don't pretend to understand

*"I think that all teachers got taught on some course somewhere to say 'I understand how that must feel' the moment you open up. YOU DON'T – don't even pretend to, it's not helpful, it's insulting."*

The concept of a mental health difficulty such as an eating disorder or obsessive compulsive disorder (OCD) can seem completely alien if you've never experienced these difficulties first hand. You may find yourself wondering why on earth someone would do these things to themselves, but don't explore those feelings with the

sufferer. Instead listen hard to what they're saying and encourage them to talk and you'll slowly start to understand what steps they might be ready to take in order to start making some changes.

### **Don't be afraid to make eye contact**

*"She was so disgusted by what I told her that she couldn't bear to look at me."*

It's important to try to maintain a natural level of eye contact (even if you have to think very hard about doing so and it doesn't feel natural to you at all). If you make too much eye contact, the student may interpret this as you staring at them. They may think that you are horrified about what they are saying or think they are a 'freak'. On the other hand, if you don't make eye contact at all then a student may interpret this as you being disgusted by them – to the extent that you can't bring yourself to look at them. Making an effort to maintain natural eye contact will convey a very positive message to the student.

### **Offer support**

*"I was worried how she'd react, but my Mum just listened then said 'How can I support you?' – no one had asked me that before and it made me realise that she cared. Between us we thought of some really practical things she could do to help me stop self-harming."*

Never leave this kind of conversation without agreeing next steps. These will be informed by your conversations with appropriate colleagues and the schools' policies on such issues. Whatever happens, you should have some form of next steps to carry out after the conversation because this will help the student to realise that you're working with them to move things forward.

### **Acknowledge how hard it is to discuss these issues**

*"Talking about my bingeing for the first time was the hardest thing I ever did. When I was done talking, my teacher looked me in the eye and said 'That must have been really tough' – he was right, it was, but it meant so much that he realised what a big deal it was for me."*

It can take a young person weeks or even months to admit to themselves they have a problem, themselves, let alone share that with anyone else. If a student chooses to confide in you, you should feel proud and privileged that they have such a high level of trust in you. Acknowledging both how brave they have been, and how glad you are they chose to speak to you, conveys positive messages of support to the student.

### **Don't assume that an apparently negative response is actually a negative response**

*"The anorexic voice in my head was telling me to push help away so I was saying no. But there was a tiny part of me that wanted to*



*get better. I just couldn't say it out loud or else I'd have to punish myself."*

Despite the fact that a student has confided in you, and may even have expressed a desire to get on top of their illness, that doesn't mean they'll readily accept help. The illness may ensure they resist any form of help for as long as they possibly can. Don't be offended or upset if your offers of help are met with anger, indifference or insolence; it's the illness talking, not the student.

### **Never break your promises**

*"Whatever you say you'll do you have to do or else the trust we've built in you will be smashed to smithereens. And never lie. Just be honest. If you're going to tell someone just be upfront about it, we can handle that, what we can't handle is having our trust broken."*

Above all else, a student wants to know they can trust you. That means if they want you to keep their issues confidential and you can't then you must be honest. Explain that, whilst you can't keep it a secret, you can ensure that it is handled within the school's policy of confidentiality and that only those who need to know about it in order to help will know about the situation. You can also be honest about the fact you don't have all the answers or aren't exactly sure what will happen next. Consider yourself the student's ally rather than their saviour and think about which next steps you can take together, always ensuring you follow relevant policies and consult appropriate colleagues.

# Appendix F: What makes a good CAMHS referral?<sup>2</sup>

If the referral is urgent it should be initiated by phone so that CAMHS can advise of best next steps

Before making the referral, have a clear outcome in mind. What do you want CAMHS to do? You might be looking for advice, strategies, support or a diagnosis, for instance.

You must also be able to provide evidence to CAMHS about what intervention and support has been offered to the pupil by the school and the impact of this. CAMHS will always ask 'What have you tried?' so be prepared to supply relevant evidence, reports and records.

## General considerations

- Have you met with the parent(s) or carer(s) and the referred child or children?
- Has the referral to CMHS been discussed with a parent or carer and the referred pupil?
- Has the pupil given consent for the referral?
- Has a parent or carer given consent for the referral?
- What are the parent or carer pupil's attitudes to the referral?

## Basic information

- Is there a child protection plan in place?
- Is the child looked after?
- Name and date of birth of referred child/children
- Address and telephone number
- Who has parental responsibility?
- Surnames if different to child's
- GP details
- What is the ethnicity of the pupil / family?
- Will an interpreter be needed?
- Are there other agencies involved?

## Reason for referral

- What are the specific difficulties that you want CAMHS to address?
- How long has this been a problem and why is the family seeking help now?
- Is the problem situation-specific or more generalised?
- Your understanding of the problem or issues involved.

## Further helpful information

- Who else is living at home and details of separated parents if appropriate
- Name of school
- Who else has been or is professionally involved and in what capacity?
- Has there been any previous contact with our department?
- Has there been any previous contact with social services?
- Details of any known protective factors

---

<sup>2</sup> Adapted from Surrey and Border NHS Trust

- Any relevant history i.e. family, life events and/or developmental factors
- Are there any recent changes in the pupil's or family's life?
- Are there any known risks, to self, to others or to professionals?
- Is there a history of developmental delay e.g. speech and language delay
- Are there any symptoms of ADHD/ASD and if so have you talked to the educational psychologist?

The screening tool on the following page will help guide you as to whether or not a CAMHS referral is appropriate.

For further support and advice, our primary contacts are:

**Professional's advisory line** 123456789 email@email.com

**Primary Mental Health worker team** 123456789 email@email.com

**Name, Role:** 123456789 email@email.com

INVOLVEMENT WITH CAMHS	
<input type="checkbox"/>	Current CAMHS involvement – <b>END OF SCREEN*</b>
<input type="checkbox"/>	Previous history of CAMHS involvement
<input type="checkbox"/>	Previous history of medication for mental health issues
<input type="checkbox"/>	Any current medication for mental health issues
<input type="checkbox"/>	Developmental issues e.g. ADHD, ASD, LD

DURATION OF DIFFICULTIES	
<input type="checkbox"/>	1-2 weeks
<input type="checkbox"/>	Less than a month
<input type="checkbox"/>	1-3 months
<input type="checkbox"/>	More than 3 months
<input type="checkbox"/>	More than 6 months

\* Ask for consent to telephone CAMHS clinic for discussion with clinician involved in young person's care

**Tick the appropriate boxes to obtain a score for the young person's mental health needs.**

MENTAL HEALTH SYMPTOMS		
<input type="checkbox"/>	1	Panic attacks (overwhelming fear, heart pounding, breathing fast etc.)
<input type="checkbox"/>	1	Mood disturbance (low mood – sad, apathetic; high mood – exaggerated / unrealistic elation)
<input type="checkbox"/>	2	Depressive symptoms (e.g. tearful, irritable, sad)
<input type="checkbox"/>	1	Sleep disturbance (difficulty getting to sleep or staying asleep)
<input type="checkbox"/>	1	Eating issues (change in weight / eating habits, negative body image, purging or binging)
<input type="checkbox"/>	1	Difficulties following traumatic experiences (e.g. flashbacks, powerful memories, avoidance)
<input type="checkbox"/>	2	Psychotic symptoms (hearing and / or appearing to respond to voices, overly suspicious)
<input type="checkbox"/>	2	Delusional thoughts (grandiose thoughts, thinking they are someone else)
<input type="checkbox"/>	1	Hyperactivity (levels of overactivity & impulsivity above what would be expected; in all settings)
<input type="checkbox"/>	2	Obsessive thoughts and/or compulsive behaviours (e.g. hand-washing, cleaning, checking)

**Impact of above symptoms on functioning - circle the relevant score and add to the total**

Little or none	Score = 0	Some	Score = 1	Moderate	Score = 2	Severe	Score = 3
----------------	-----------	------	-----------	----------	-----------	--------	-----------

HARMING BEHAVIOURS		
<input type="checkbox"/>	1	History of self harm (cutting, burning etc)
<input type="checkbox"/>	1	History of thoughts about suicide
<input type="checkbox"/>	2	History of suicidal attempts (e.g. deep cuts to wrists, overdose, attempting to hang self)
<input type="checkbox"/>	2	Current self harm behaviours
<input type="checkbox"/>	2	Anger outbursts or aggressive behaviour towards children or adults
<input type="checkbox"/>	5	Verbalised suicidal thoughts* (e.g. talking about wanting to kill self / how they might do this)
<input type="checkbox"/>	5	Thoughts of harming others* or actual harming / violent behaviours towards others

\* If yes – call CAMHS team to discuss an urgent referral and immediate risk management strategies

Social setting - for these situations you may also need to inform other agencies (e.g. Child Protection)			
<input type="checkbox"/>	Family mental health issues	<input type="checkbox"/>	Physical health issues
<input type="checkbox"/>	History of bereavement/loss/trauma	<input type="checkbox"/>	Identified drug / alcohol use
<input type="checkbox"/>	Problems in family relationships	<input type="checkbox"/>	Living in care
<input type="checkbox"/>	Problems with peer relationships	<input type="checkbox"/>	Involved in criminal activity
<input type="checkbox"/>	Not attending/functioning in school	<input type="checkbox"/>	History of social services involvement
<input type="checkbox"/>	Excluded from school (FTE, permanent)	<input type="checkbox"/>	Current Child Protection concerns

**How many social setting boxes have you ticked? Circle the relevant score and add to the total**

0 or 1	Score = 0	2 or 3	Score = 1	4 or 5	Score = 2	6 or more	Score = 3
--------	-----------	--------	-----------	--------	-----------	-----------	-----------

**Add up all the scores for the young person and enter into Scoring table:**

Score 0-4	Score 5-7	Score 8+
Give information/advice to the young person	Seek advice about the young person from CAMHS Primary Mental Health Team	Refer to CAMHS clinic

**\*\*\* If the young person does not consent to you making a referral, you can speak to the appropriate CAMHS service anonymously for advice \*\*\***